

TNP4

series



Product Segments


• Care Motion

General Features

| | |
|---|-------------|
| Max. available buttons | 15 |
| Color | Black, grey |
| IP rating | IP66 |
| Options | Back cover |
| Control up to 7 channels in connection with TC8 | |
| Embedded into side rail or foot board directly | |
| Can be used as lock-out box | |

Drawing

Standard Dimensions
(mm)




TNP4

Version: 20130510-C

| | | |
|--------------------------|---|---|
| Plug | 1 = DIN 8P, 90°, for TC2 / TC3 2 = RJ 10P, 90° for TC1 / TC8 / TC10 4 = DIN 8P, 180°, for extension cable | 5 = RJ 10P, 180°, for TC6 / TC9 / extension cable A = Customized |
| Color | 1 = Black | 2 = Pantone 428C |
| IP Rating | 1 = Without | 2 = IP54 3 = IP66 |
| Back Cover | 0 = Without | 1 = With |
| Key Definition | A = Customized | |
| Cable Length (mm) | 1~6 = See appendix, See page 4 | A = Customized |

Cable Length



| Cable Section (mm) | | | |
|--------------------|-------------------|-----|-----|
| CODE | A | B | C |
| 1 | 1000 | 300 | 200 |
| 2 | 1200 | 300 | 300 |
| 3 | 1400 | 300 | 400 |
| 4 | 2400 | 0 | 0 |
| 5 | 0 | 600 | 0 |
| 6 | 1000 | 200 | 200 |
| A | Customized length | | |

Terms of Use

The user is responsible for determining the suitability of TiMOTION products for a specific application. TiMOTION products are subject to change without prior notice.