

Plasma Processing Equipment catalog







- The APX 300 contributes to high-level productivity in the etching process thanks to high speed LED film processing
- The LED substrate surface can be etched to diverse shapes such as trapezoidal and conical form
- Housing the equipment in one box contributes to increased area productivity


Model ID	APX300
Model No.	NM-EFE3AA
Plasma source	ICP Plasma
Process gas	4 Lines (standard) (Maximum 6 Lines: Chlorinated Gas, Fluoride Gas, Ar, O <sub>2</sub> , He, etc.)
Wafer size *1	$\phi$ 100 mm wafer with orientation flat (standard)
Dimensions (mm)	W 1 350 × D 2 230 × H 2 000 (Does not include touch panels, operation section and signal tower)
Mass	2 100 kg (differs depending on machine configuration)
Power source	3-phase AC 200 / 208 / 220 / 230 / 240 ±10 V \ 50 / 60 Hz \ 21.00 kVA
Pneumatic source	0.5 MPa to 0.7 MPa, 250 L/min (A.N.R.)
N <sub>2</sub> Source	0.1 MPa to 0.2 MPa, 50 L/min (A.N.R.)

\*1 : For other size wafers, please contact us \*2 : 2 line 3-phase power source, and this shows the total


#### Model ID APX300 Model No. NM-EFE34

## Advanced ICP and Multi-ESC realize high accuracy & high productivity

MSC(Multi Spiral Coil)ICP Original Advanced ICP



## LED Chip structure



GaN and Sapphire PSS application

Sapphire processing


15.0kV X30.0K'''.'00##

### High productivity for Hard fabrication material


9

x s a a


15.040







130μm Hole



# Safety Cautions Safety Cautions Please read the User's Manual carefully to familiarize yourself with safe and effective usage procedures. Oro ensure safety when using this equipment, all work should be performed according to that as stated in the supplied Operating Instructions. Read your operating instruction manual thoroughly. Panasonic Group products are built with the environment in mind. Please check the homepage for the details. panasonic.com/global/corporate/sustainability Inquiries…

(Example)

SiC

3-1-1 Inazu-cho, Toyonaka City, Osaka 561-0854, Japan TEL +81-6-6866-8630 FAX +81-6-6862-0422

All data as of January 1, 2020 Ver.January 1, 2020 © Panasonic Corporation 2020

Panasonic

•Changes in specifications and appearance may be made without notice for product improvement. •Homepage industrial.panasonic.com/ww/fa-jisso