

LOV

Design Uwe Sommerlade



Produktinformation

LOV

Design Uwe Sommerlade



LOV | Model 2140 – 2147 lounge-chair

LOV – a lightweight upholstered chair for conference, lounge and dining – at home or in a restaurant. The upholstered seat shell is available in two different back heights. Two foot cross bases are available, either on castors or glides, and a skid base. The result is a richly varied modular system from which furniture can be combined to meet a wide variety of wishes and requirements. The lines of the shells are restrained and harmonious. The proportions are balanced. Comfort is guaranteed. A timeless seating furniture program that sets an elegant accent in the room without dominating its surroundings.

Frame

Model 2140 - 2141: Skid frame made of Ø 12 mm steel wire, St37. The cross pieces are made of 25 x 5 mm flat steel with rounded edges welded all around the frame.

Model 2142 - 2143: 4-arm base extension made of polished aluminum, tapered from 35 mm to 22 mm, with rotating column, bottom Ø 50 mm, top Ø 40 mm. 4-arm truss support, screwed to the seat shell. Optionally, the frame is not rotatable.

Model 2144 - 2145: 4-arm base extension made of polished aluminum, tapered from 20 mm to 26 mm, with rotating column, bottom Ø 45 mm, top Ø 40 mm. 4-arm truss support, screwed to the seat shell.

Model 2146 - 2147: 4-arm base extension with castors made of polished aluminum tapered from 20 mm to 26 mm, with rotating column, bottom Ø 45 mm, top Ø 40 mm. 4-arm truss support screwed to the seat shell.

Frame surfaces

Model 2140 - 2141, chrome-plated as standard, optionally powder-coated according to BRUNE® collection.

Model 2142 - 2147, polished as standard, optional structure black matt.

Seat shell

Upholstery support consisting of a steel frame and molded wood support plate covered with molded polyurethane foam.

Fabric cover

Fabric cover according to BRUNE® collection, fabric group 3, 4, 6, or 7. Leather on request.

Seat cushion foam: RG/SH 57/40 ca. 35 mm thick

RG = specific gravity / S/H = compression hardness

Gliders + rollers


Model 2140 - 2143, standard without glides, optionally with plastic or felt glides

Model 2144 - 2145, standard glides with plastic insert, optional felt insert

Model 2146 - 2147, standard on black castors


Dimensions Model 2140

Dimensions:	Width:	B	60 cm
	Depth:	T	67 cm
	Total height:	H	88 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			11 kg




Dimensions Model 2141

Dimensions:	Width:	B	60 cm
	Depth:	T	73 cm
	Total height:	H	112 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			12 kg




Dimensions Model 2142

Dimensions:	Width:	B	60 cm
	Depth:	T	67 cm
	Total height:	H	86 cm
	Armrest height:	AH	63 cm
	Seat height:	SH	45 cm
Weight:			11 kg




Dimensions Model 2143

Dimensions:	Width:	B	60 cm
	Depth:	T	73 cm
	Total height:	H	110 cm
	Armrest height:	AH	63 cm
	Seat height:	SH	45 cm
Weight:			12 kg




Dimensions Model 2144

Dimensions:	Width:	B	60 cm
	Depth:	T	67 cm
	Total height:	H	88 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			10,5 kg




Dimensions Model 2145

Dimensions:	Width:	B	60 cm
	Depth:	T	73 cm
	Total height:	H	112 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			11,5 kg




Dimensions Model 2146

Dimensions:	Width:	B	60 cm
	Depth:	T	67 cm
	Total height:	H	88 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			10,5 kg



Dimensions Model 2147

Dimensions:	Width:	B	60 cm
	Depth:	T	73 cm
	Total height:	H	112 cm
	Armrest height:	AH	65 cm
	Seat height:	SH	47 cm
Weight:			11,5 kg



Awards



Certificates

ISO 9001:2015



Quality management in
accordance with DIN EN
ISO 9001

ISO 14001:2015



Environmental management
system in accordance with
DIN EN ISO 14001

LOV



2141



2140



2142



2143



2146



2147



2145



2144



2144

Technical specifications and products are subject to change. For printing-related reasons, there may be deviations in the colours.

BRUNE® - Flurweg 15 - 53639 Königswinter - Telefon +49 (0) 22 44/8 81-0 - Telefax +49 (0) 22 44/8 81-203 - info@brune.de - www.brune.de