


# Balance for body, mind and spirit -Our contribution towards healthy working

The World Health Organisation defines health as a state of physical, mental and social well-being. If all three are in harmony, then we are performing at optimum levels physically and psychologically.

As an employer you have a tangible benefit from promoting the health of your team: it's the only way to profit from the full potential of your workforce. As our rapidly changing world undergoes a sociocultural and demographic change, qualified employees are increasingly valued. It's worthwhile designing their working environment in such a way that it isn't just attractive, but also supports employee health. **In this** 

brochure, we will show you some innovative ideas and creative design approaches that will also complement your work culture.


































**COAT HOOK**For storing clothing at the workplace


# K+N SMART.OFFICE WELLNESS encourages movement at your desk: our digital tool reminds you to stand up and provides an analysis of your sit/stand activity, as well as the option of defining ergonomic goals. Personal settings are "portable" – they can be taken to a different desk. It can also be used anonymously.



# **KEEP**MOVING!

Agile working and stand-up meetings – a dynamic approach is something you need in business. We also take inspiration from the fitness sector when we design and create our furniture and office outfitting. For instance our highly flexible swivel chair **LAMIGA** can be adjusted with almost the same precision as fitness equipment using the **ERGO-DISC. TALO.S, shown here in the Urban Style look with clear lacquer finish**, can easily be converted into a stand-up workstation to encourage movement. And when you use K+N SMART.OFFICE, it helps to keep you moving almost like a personal coach.







# WITH THE FLOW

Products: TALO.S, LAMIGA, ACTA.PLUS, NET.WORK.PLACE Organic

Something that seemed almost like utopia a few years back is already reality in many places: sofas for relaxing at the office. Opportunities to move around next to your desk. And a desk almost as beautiful as the one you have at home! Let's take a look at your work culture together and develop some solutions that are just right for your company. With spaces that ensure a **healthy balance between work, productivity and wellbeing**. With ideas for creating greenery, light and colour concepts – and furniture that reflects your corporate style and identity.

Does your work culture include a healthy approach to working? We help you to encourage it!

# TALO.S TENSA.NEXT LAMIGA

## **REAL TEAMPLAYERS**

## TALO.S

- + Sitting/standing workstation
- + Available as a single workstation, bench or conference system
- + T-frame desking range in 70 x 70 mm square tube
- + 3 types of height adjustment: adjustment at 10 mm intervals via hand wheel, gas-lift (no power required), electric adjustment
- + Smooth-running sliding top
- + Fixed or clip-down cable tray
- + Detachable table top by means of clips
- + Practical wire management horizontal through cable tray, vertical via cable trim and cable chain
- + Variety of extensions and accessories
- + Suitable for K+N SMART.OFFICE





# TALO.S, LAMIGA AND TENSA.NEXT



## LAMIGA


- The flexible backrest supports the body during lateral rotation
- + Backrest can be adjusted via the integral ERGO-DISC
- + Seat tilt adjustment: max. 4° forward tilt, seat depth through 50 mm with 6 locking positions
- + Flexible front edge lowers when you sit down, improving the circulation in the legs
- + To take the strain off the lower back the optional lumbar support can be adjusted in height and depth
- + Quick-set weight adjustment
- + Tested for user weights up to 150 kg


## TENSA.NEXT

- + The DTS synchro mechanism (Dynamic Torsion System) to optimise the motion sequence and ensure dynamic sitting
- + **Ergonomic:** opening angle of 24° and optimum synchro ratio of 1:2
- + The lowering of the front edge of the seat prevents pressure points on the thighs
- + The **proactive forward-tilt adjustment** tilts the seat forward by 4° and the backrest by 8°
- + Adjustable lumbar support available in two variants
- + Slender strip at the top of the backrest, facilitates moving the chair around
- + Individual weight setting, from 45 to 120 kg



# **TALO.S**WITH EXTRAS





# **EVERYTHING'S ADJUSTABLE**INCLUDING THE DESK HEIGHT



## Handwheel

Manual tool-free height adjustment in increments from 650 – 850 mm



## Adjustable gas lift

Fast height-adjustment, no power source required, from 680 to 1180 mm for:

- + 20 kg (+/- 10 kg) or
- + 40 kg (+/- 10 kg) useful load
- with a useful load pre-set of max. 50 kg



## Motorised

Convenient, infinitely-variable adjustment from 650 – 1250 mm or 680 – 1180 mm with integral collision prevention

# FOR NEW PERSPECTIVES IN THE OFFICE

There are lots of variables that can turn a workstation into a healthy one. One key factor is posture: if the furniture provides optimum support for the muscular system, asymmetrical stress can be avoided. You can also strengthen muscles and boost mental agility with dynamic sitting, as well as switching between sitting and standing.

## Advantages of a sitting/standing workstation

- + Strengthens the stomach and leg muscles
- + Relieves the strain on the spine and discs
- + Improves circulation in the legs
- + Relaxes the muscles
- + Higher level of activity
- + Improved body awareness
- + Better health

## **K+N SMART.OFFICE**

## Take your place in the agile work culture - with a smart, stress-free approach

How can we organise rooms and processes efficiently even though people are working everywhere? How can we empower agile project teams so that they can work within a structure whilst remaining healthy? **K+N SMART.OFFICE** networks the room, furniture and people together, turning challenges into opportunities.

**K+N SMART.OFFICE** is a digital service that provides a simple way of organising space so that it's used efficiently. To achieve this, sensors are installed in rooms and on furniture. **K+N SMART.OFFICE** can be used via a phone app or from the desktop.

The system includes modules that you can integrate into your infrastructure individually or in combination.



### With the

# K+N SMART.OFFICE COMPANION

it's easy for employees to book rooms and workstations which makes organising dynamic work cultures efficient.

- + Find and book vacant desks and meeting rooms
- + Filter by number of people and equipment
- + Touch screen in the meeting rooms, instant booking option
- + Find colleagues

With the

# K+N SMART.OFFICE STUDY

you can make space and furniture use transparent and highlight potential for optimisation – to plan space use more efficiently.

- + Identify the full potential of space and resource utilisation
- + View data in real time
- Use comprehensive analysis for new, efficient room and space planning

Discover now at smart-office.de

# **DETAILS**







3 | SPACIOUS CABLE TRAY The electrics unit is accessible for easy cabling.

## 4 | CABLE TRAY IS HINGED AT BOTH SIDES

On standard desks without sliding top.





5 | "PUSH-TO-OPEN" CABLE COVER

Rapid access to socket bar with various configuration options.








# 7 | OPERATING CONSOLE In two variants for motorised height adjustment.

AV

Can be fitted to the inside or outside of leg frame.

## 8 | ELECTRICS CUT-OUT

With brush seal and tool rail to hold flat screen monitors.
Also suitable for bench systems.









## 1 | FABRIC-COVERED DESK SCREENS Provide visual privacy at the workstation with optional railing or tool rail.

2 | CABLE DUCT WITH CABLE CHAIN Houses vertical electrics for motorised and lift desks.

## 9 | STURDY TOP CLIPS

For tool-free assembly of the desktop.

## 10 | SMOOTH-RUNNING SLIDING TOP

Allows convenient access to cables from above, fast and efficient.





## 11 | DESK DEPTHS

800 mm deep on asymmetrical frames, 900/1000 mm deep on symmetrical frames.





## 12 | VARIABLE MODESTY PANEL

For visual screening, with perforated pattern, attached via a bracket.

## 13 | CLEAR LACQUER LEG FRAME FINISH

With visible weld points.





## 14 | ADJUSTABLE GAS LIFT DESK

Height-adjustment, no power source required, from 680 to 1180 mm for +/- 20 kg or +/- 40 kg or with customised weight setting up to 50 kg for desk depths of 800 mm or 900/1000 mm.





# **DETAILS**BENCH









## 15 | CENTRAL SCREEN FOR PRIVACY

The effective screen provides privacy as well as offering acoustic advantages.

## 16 | FUNCTIONAL SIDE TRIM

Optionally either perforated steel or closed to accommodate cables.

## 17 | FLEXIBLE CABLE MANAGEMENT

Electrics pass through umbilicals to the central cable tray and down to the floor.



# **FINISHES**

### DESK TOP SURFACES FRAME COLOURS

MFC SOLID COLOUR	MFC WOOD EFFECT	VENEER	FENIX	POWDER- COATED METAL	TEXTURED FINISH
		-			
<b>GK</b> Grey	<b>AA</b> Acacia	AH Canadian maple unstained	<b>7V</b> Fenix black	<b>AL</b> Aluminium coloured	KSS Black
<b>GW</b> Off-white	<b>A0</b> Maple	BH Beech unstained	<b>7M</b> Fenix white	AM Anthracite metallic	
KH Light grey	ET Oak natural	<b>CK</b> American cherry	<b>7J</b> Fenix dark grey	GC Chrome	
				Sec.	
9R Medium grey	<b>MB</b> Beech	<b>EN</b> Oak natural	<b>71</b> Fenix dark beige	<b>GK</b> Grey	
	77.32	and the			
<b>9T</b> Beige	<b>NM</b> Walnut	SN American walnut natural		<b>GW</b> Off-white	
KT Aluminium coloured	<b>9L</b> Halifax Oak Natural			KH Light grey	
<b>WI</b> Pure white	<b>95</b> Concrete look			KS Black RAL 9011	
				1800	
				PK Metal clear varnish	

WI Pure white

# **PRODUCT OVERVIEW**





l aga/Erama			119
Legs/Frame	T feering agreement to be	Single desk	Bend
	T-frame, square tube	•	•
Dimensions individual w	orkstation		
Widths	800, 1000, 1200, 1400, 1600, 1800, 2000 mm	•	
Depths	600, 800, 900, 1000 mm	•	-
Bench dimensions			
Widths	1600, 1800, 2000 mm	-	
Depths	1680, 1880 mm	-	-
Height adjustments			
Height-adjustable	650 – 850 mm		-
Gas lift	680 – 1180 mm with adjustable useful load from 0 – max. 50 kg (depending on desk size) 680 – 1180 mm for 20/40 kg useful load (+/– 10 kg)		-
Electric motor	650 – 1250 mm double telescope optional 680 – 1180 mm, double telescope		
Worktops			
Chipboard	25 mm thick MFC sliding top, removable without tools	•	
Veneer		•	
Variants			
	Single desks, linking (for height-adjustable desks only)		_
	Team tables for bench systems	-	-
Wire management			
Electrics cut-out	With brush seal and tool rail		
Horizontal	Optionally available with matching cable tray or cable management clips		
Vertical	Additional vertical cable trim or cable chain		
Cut-outs/adapters	For selected desk top shapes		-
Sliding top	For selected desk top shapes	•	
Clip-down cable tray, opens both sides	Optionally available for desks without sliding top		-
"Push-to-open" cable cover	Optional "push-to-open" cable cover 400 x 166 mm; incl. plate with pre-fitted 4-gang socket (3x type F, 1x RJ 45); left or right for 1600 – 2000 mm, central for 1200 – 1400 mm		-
Accessories			
3rd level	As option via adapter		
At the side	Extension tops, CPU holder, printer tray, side trim perforated steel or closed		
Below the top	Modesty panel		_
Linked configuration	Possible as option using a variety of different linking modules for 800 mm deep desks	-	
Railing	Railing with tool rail to hold storage accessories or flat screen arms; fabric panel, with organiser slots on both sides		-
Railing Desk screens		-	

■ Standard □ Optional















## **DETAILS**







### 1 | BACKREST STYLES

The comfortable backrest is available in fully upholstered, mesh fabric, 3D-fabric and textured versions.



The seat lowers when adjusted to keep the

pelvis in an upright position, taking the

The height and supporting surface of the ergonomic multifunctional armrests can be

### 2 | TWO TYPES OF LUMBAR SUPPORT TO CHOOSE FROM

The lumbar support with fixed curvature (pictured on the left) is height-adjustable. The inflatable version (pictured on the right) can be adjusted in height and curvature.





## 5 | SPORTY DESIGN The adjustable seat surface dips below

3 | SEAT TILT ADJUSTMENT

4 | ADJUSTABLE ARMRESTS

weight off the spine.

individually adjusted.

the backrest, adding an elegant touch.



Supports a synchronous sequence of movements, a crank allows the counter pressure to be adjusted for user weights from 45 to 120 kg.





## 7 | STARBASE STYLES

Types available: black plastic, powdercoated aluminium, polished, chrome finish. Castors are available for both carpets and hard floors.





# **PRODUCT OVERVIEW**



Technology		
Mechanism	DTS synchro mechanism (Dynamic Torsion System)	•
Opening angle	24° (maximal 32°)	•
Synchro ratio	1:2	•
Individual weight adjustment	45 to 120 kg	•
Seat height adjustment	420 to 515 mm	•
Seat depth adjustment	50 mm, 6 positions	•
Seat tilt adjustment	Proactive: seat 4°, backrest 8° forward tilt	•
Backrest lock	3 positions	•
Seat	Upholstered	
Integral shock absorption	Yes	

|--|

	Mesh fabric	
	3D-mesh fabric	•
	Upholstered pad	
	Ribbed fabric	
Two types of lumbar support	Inflatable, adjustable in height and depth Fixed curvature, height-adjustable	0
Headrest	Adjustable in height and width, optionally available in leather even on a fabric chair	П

## Armrests

4D multifunctional armrests	Adjustable in height, width and depth, armrest pads swivel	
	Optional with leather armrest top	

## Dimensions

Seat height	420 to 515 mm	
Seat width	480 mm	
Seat depth	390 to 440 mm	
Back width	500 mm	
Back height	670 mm	
Total width incl. armrests	678 mm	
Total depth	645 mm	

## Colours

Plastic parts	Black
Starbases	Black plastic
	Aluminium (2 types of spokes)
	Powder-coated, polished aluminium or chrome
Castors (for carpeted or hard floors)	Black

■ Standard □ Optional













5-year guarantee
























**SELECTION OF FABRICS**Materials are available in many

colours and textures, to match corporate identity.

# **LAMIGA**

## NECK SUPPORT (optional) Can be adjusted in height, depth and tilt. It ensures a relaxed and upright position regardless of sitting posture.



CLOTHES HANGER Optional.



For automatic adjustment of backrest counter-pressure.

## **LUMBAR SUPPORT**

To stabilise the back, can be adjusted in various ways.

## OPENING ANGLE

**ARMRESTS** 

Maximum seated comfort thanks to four adjustable positions.

Can be individually adjusted in height, width and depth, relieving

swivelled and locked in place.

strain on the shoulders and neck muscles. The armrest pad can be

## SYNCHRO MECHANISM

Synchronous movement of seat and backrest.

## WEIGHT ADJUSTMENT

The quick-set weight adjustment goes from light (45 kg) to heavy (150 kg) in just 3 rotations.

## TESTED FOR USERS WEIGHING UP TO 150 KG



## **DETAILS**



## **3 | VERSATILE ARMRESTS**The 4D multifunctional armrest has various

adjustment features and the option of locking
the armrest pad in position to avoid
unintentional adjustment.

## 4 | VARIABLE OPENING ANGLE

The opening angle of 24° can be set at 0°, 8° and 16°.



## 1 | TWO VERSIONS

Backrest with black plastic shell, neck support optional.

## 2 | BACKREST CAN BE ADJUSTED VIA

The ERGO-DISC controls the counterpressure of the flexible backrest.











## 5 | ADJUSTABLE LUMBAR SUPPORT

It is adjustable in height and curvature and offers additional support in the lower back area.

## 6 | FRONT EDGE OF SEAT CAN BE LOWERED

The flexible front edge of the seat dips when the user changes position, improving the circulation in the legs.



## 7 | STARBASE STYLES

The starbases are available in steel or aluminium with various finishes.

# **PRODUCT OVERVIEW**



## Technology

Mechanism	Synchro mechanism	
Opening angle	24°	•
Synchro ratio	1:2,3	
Individual weight adjustment	45 to 150 kg	
Seat height adjustment	420 to 520 mm	•
Seat depth adjustment	Through 50 mm, 6 positions	
Seat tilt adjustment	4° forward tilt	•
Limit to opening angle	In 4 locking positions: 0°, 8°, 16°, 24°	•
Seat upholstery	Foam	•
Integral shock absorption	Yes	

### **Backrest**

	Upholstered plastic seat/back shell	
ERGO-DISC	Flexibility of backrest rotation infinitely variable	
Lumbar support	Schukra®, adjustable in height and curvature	
Neck support	Adjustable in height, tilt and depth	

### **Armrests**

4D multifunctional armrests	Adjustable in height, width and depth, armrest pads can be swivelled and locked in place (without tools)	
	Optional with leather armrest top	

## **Dimensions**

Seat height	420 to 520 mm	•
Seat width	475 mm	•
Seat depth	400 to 450 mm	•
Back width	455 mm	•
Back height	605 mm	•

### Calaura

Black	•
Black	•
Same colour as back support, decorative ring in chrome	
Black/aluminium/anthracite metallic	•
Polished aluminium/chrome	
Black	
Armrest support black	•
Polished aluminium/chrome	
Steel with black plastic cover	•
Aluminium, flat spokes in black/aluminium-coloured/anthracite metallic	
Polished aluminium/chrome	
Black or black/grey, 60 mm diameter	
	Black Same colour as back support, decorative ring in chrome Black/aluminium/anthracite metallic Polished aluminium/chrome Black Armrest support black Polished aluminium/chrome Steel with black plastic cover Aluminium, flat spokes in black/aluminium-coloured/anthracite metallic Polished aluminium/chrome

## ■ Standard □ Optional















5-year guarantee



### Side-access storage

Attractive design and well-organised inside. Now also available with coat hook.





## K+N BALANCE.CHAIR

The patented office chair can be converted quickly into a leaning support in just a few movements.



NET.WORK.PLACE Organic Modular upholstery elements for reception

and communication areas.

## As a leading brand for office furniture and room systems, König + Neurath develops solutions for individual work cultures

and digital solutions, the family-owned company, established in







Modular and practical upholstery elements for areas in which to retreat, relax and receive visitors.

## NET.WORK.PLACE

## **Deutschland**

König + Neurath AG Industriestraße 1–3 61184 Karben T +49 6039 483-0 info@koenig-neurath.de

## **Great Britain**

König + Neurath (UK) Ltd. Ground and Lower Ground Floor 75 Farringdon Road London EC1M 3JY T +44 20 74909340 info@koenig-neurath.co.uk

## Nederland

König + Neurath Nederland Beethovenstraat 530 1082 PR Amsterdam T +31 20 4109410 info@konig-neurath.nl

## France

König + Neurath AG 53, rue de Châteaudun 75009 Paris T +33 1 44632393 info@koenig-neurath.fr

## Schweiz

König + Neurath (Schweiz) GmbH St. Gallerstrasse 106 d CH–9032 Engelburg / St. Gallen T +41 52 7702242 info@koenig-neurath.de

## Österreich

König + Neurath AG Gonzagagasse 1 / Morzinplatz 1010 Wien T +43 676 4117512 info@koenig-neurath.de

