
DO IT.4 + ACTA.PLUS + OKAY.II **CLEAR DESIGN** FOR DIVERSE TEAMS




The ideal office allows space for new ideas and lets people develop their full potential. What could that look like? That's our specialist field!

We've spent decades helping companies shape their work cultures. With the right furniture and inspiring style collections. Here we present purist solutions with which you can create a wide variety of harmonious work environments and office situations: **DO IT.4** workstations, **OKAY.II** chairs and **ACTA.PLUS** storage. Absolute classics with reliable functions and a really contemporary look thanks to their minimalist design. Have fun finding out more!





















Whereas companies used to be controlled by a small group of senior managers, nowadays firms are increasingly relying on collective intelligence. There's nothing to interrupt the flow of ideas in this minimally styled private meeting zone – quite the opposite: the generous **DO IT.4** meeting table with its Fenix work surface is ideal for brainstorming, while the comfortable **OKAY.II** visitor chairs ensure the participants are sufficiently relaxed.

Products:
DO IT.4 meeting table (rectangular tube),
ACTA.PLUS combi-cupboard, OKAY.II visitor chair
and task chair



IN TEMPORARY ROOM CONCEPTS

The processes of change associated with the digital age demand greater mobility from us all. But how can you ensure that your teams feel relaxed so that they perform consistently at work? By providing furniture that adapts to their needs, even at temporary workstations. For example the **JET.II** task chair with **i-seating® mechanism** that adapts quickly and intuitively to each user's weight. The **DO IT.4** bench with flexible acoustic screens. Or the understated **ACTA.PLUS lockers** storage systems, for secure storage of personal items.

I-SEATING® MECHANISM

The user's weight is detected and automatically transferred to the backrest in the form of counter-pressure without the need for further manual adjustment – the sitting position is intuitively correct, which means that the chair can be used by different people in rapid succession.

Ideal for temporary room concepts.



Create a culture of change on the basis of stable values

DO IT.4 ACTA.PLUS OKAY.II

DEPENDABLE PARTNERSVERSATILE APPLICATIONS

DO IT.4

- + Delicate, floating look thanks to the shadow gap
- + Supplied with T-profile or rectangular tube
- + Can be used as a single workstation as well as a bench
- + Diverse extensions and add-ons are available



DO IT.4, ACTA.PLUS AND OKAY.II



ACTA.PLUS

- + Design element with sliding doors / tambourfronted units: front-mounted doors
- + Cupboards and shelves can be configured using the modular principle
- + Consistent height scale of 375 mm for a uniform appearance
- + Delicate 3mm joints
- + Premium configuration options such as acoustic or high-gloss fronts
- + Several cupboards can be combined in series with a trim to ensure a consistent look

OKAY.II

- + VSP® synchro mechanism (Virtual Swing Point) ensures the perfect movement sequence while you sit
- + Backrest variants: mesh back, 3D mesh back, textured fabric and fully upholstered
- Luxurious sitting experience, comfortable seat and backrest
- + Invisible lumbar support, adjustable in height and intensity



INTELLIGENTCOMBINATION

from 650 to 850 mm



FLY-BY PANEL

fully flexible with tool rail, pinboard function or acoustic

DETAILS










The shadow gap is a consistent design feature that creates a delicate floating appearance. The desk top is available in two thicknesses: 13 mm or 25 mm (except the bench).

2 | SIMPLE HEIGHT ADJUSTMENT The leg frame made of 75 x 30 mm rectangular tube or the T-profile offers infinitely variable height adjustment from 650 mm to 850 mm.





4 | DISCREET CABLE MANAGEMENT

A sliding top allows easy access to the adapters and cable tray.



5 | WELL ORGANISED CABLE MANAGEMENT The flexible umbilical keeps the electrics tidy and well-concealed.





6 | CORRECT HEIGHT

Easy to attach a monitor to the arm.

7 | ADDITIONAL SCREENS

Various elements can be hooked into the plug-in organiser screen.





CPU holders can be mounted on the inside or outside as required.

9 | SELECTION OF ELECTRICS OPTIONS

Choose between desktop electrics or a clip-on version.








DETAILSBENCH

POSSIBLE COMBINATIONS





10 | BRUSH SEAL


Allows cables to be concealed and positioned exactly where needed.

11 | BRUSH SEAL WITH RECESS

For precise positioning of a large number of cables.

12 | OPEN SLIDING TOP

Easy access to the central cable tray and electrics.





Single bench

as starter or add-on desk (leg frame: T-profile)



Team workstation

on double bench (leg frame: T-profile)



Bench system

with header top for meetings and clip-on panels (leg frame: T-profile)



Bench system

for temporary workstations with header top for meetings, centre screens and mobile screens (leg frame: rectangular tube)

SURFACE FINISHES

DESK TOP SURFACES

MFC
SOLID COLOUR

MFC **WOOD EFFECT**



POWDER-COATED METAL

TEXTURED FINISH

FRAME COLOURS











AL Aluminium coloured



GW Off-white

KT Alu coloured

WI Pure white









SK Ash stained chocolate-brown

WI Pure white

ET Oak natural KH Light grey

AO Maple









WS Ash stained white **FENIX**



UL Elm

MB Beech



stained







CK American cherry













PRODUCT OVERVIEW





Legs/Frame		Single workstation	Bench
	T-profile, bolted		
	Rectangular tube (75 x 30 mm)		
Dimensions single workstation			
Widths	800 mm, 1000 mm, 1200 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm		_
Depths	800 mm, 900 mm, 1000 mm	•	-
Dimensions bench			
Widths	1200 mm, 1400 mm, 1600 mm, 1800 mm, 2000 mm	-	-
Depths	Single bench: 800 mm, double bench: 1600 mm	-	•
Height adjustment			
Fixed	732 mm (25 mm top)		-
Infinitely variable	650 – 850 mm	•	•
Worktop			
Chipboard	25 mm, MFC 13 mm, MFC		-
Veneer	13 mm, 25 mm	•	-
Electrics			
Horizontal	Cable tray		
Vertical	Umbilical Clip-on cable duct	only rectan-	
Cut-outs	Cut-outs can be equipped with adapters to support "third level" accessories		
Sliding top		•	•
Accessories			
3rd level	Adapter		
At sides	CPU holder, printer tray		
Below the top	Perforated steel modesty panel		
Configurations		-	
Desk screens	Rail, aluminium organiser panel, INSIDE.25, INSIDE.50, fabric cover, felt screen, TWS		-
	Rail, INSIDE.25, fabric cover, felt screen	-	
Options			
Brush seal		-	
Cable management recess		-	

■ Standard □ Optional
















EXCLUSIVITYAS A MODULAR SYSTEM

SIDE TRIM (left/right options) TOP (option) FLOATING SHELF MIDDLE SHELF **PLINTH** 30 mm **PLINTH** 90 mm GLIDES FRAME **DIFFERENT DOOR OPTIONS** + Square tube (20x20 mm) + Rectangular tube (40x20 mm) + Open shelves + Hinged door cupboard + Round tube (ø 35 mm) + Tambour cupboard + Sliding door cupboard + Filing cabinet

DETAILS



1 | UNIFORM HEIGHT SCALE

Symmetrical construction, uniform height scale of 375 mm and a wide range of potential applications.





2 | DIFFERENT DOOR OPTIONS

Elegant front-mounted doors for side tambour / sliding door cupboards. Inset fronts are also available on request.

DETAILS





3 | ACOUSTICALLY-EFFECTIVE FRONTSEffectively reduce the noise level.

4 | FABRIC SCREENThe fabric finish optimises office acoustics.



5 | OPEN SHELVING UNITSVertical rows of pre-drilled holes allow shelves to be fitted at any level.







6 | STURDY METAL SHELVESBookends provide the necessary support.

7 | FILE-FRAMES WITH PARALLEL GUIDANCE Ensure a consistent pull-out action, even in intensive use.

8 | PULL-OUT WARDROBE RAILS

The 450 mm deep cupboard becomes a wardrobe for crease-free hanging.

PRODUCT OVERVIEW

Structural design

Carcass 19 mm with inset fro	ints	•
Side trims, top and rear pane	el doubled	
Height grid 375 mm		
Dimensions		
Heights with plinth	405 mm (1 FL¹), 780 mm (2 FL¹), 1155 mm (3 FL¹), 1530 mm (4 FL¹), 1905 mm (5 FL¹), 2280 mm (6 FL¹)	
Widths	450 mm, 600 mm, 800 mm, 1000 mm, 1200 mm, 1600 mm	

450 mm + 600 mm with front, 430 mm + 580 mm without front

Plinth and frame

Depths

Plinth	Metal, 30 mm high	
Plinth	Metal, 90 mm high	
Glides	Plastic, round	
Glides	Plastic, square, chrome	
Frame	Metal. 90 mm/150 mm high	П

Insulation fronts

Filing cabinets with self-close mechanism and dampers	
Cupboard with sliding doors with damping	
Sliding doors with soft-open mechanism from widths of 1200 mm	
Hinged door cupboards with damping	

Locking

Lock with eurocylinder	
Filing cabinet with central lock and safety interlock	

Surface finishes

Melamine - plastic	
Veneer: doubled top + side trim, front	
High-gloss fronts and rear panels	

Models

Hinged doors	
Side-sliding tambours	
Sliding doors	
Filing drawers	•
Lockers and wardrobe-style cupboards	
Flipper cupboards	•
Bridging shelf	•
Stacking cuphoards 1-3 FL ¹	П

Handle types

D handle, rectangular section	
Bow handle, round section	
Curved handle	
Flat bar handle	
Recessed handle	

Acoustics

Acoustic fronts and back panel













OKAY.II

ARMRESTS Take the strain off shoulders and neck. Can be adjusted in width, height and depth without **LUMBAR SUPPORT** tools. Pads swivel. Is integrated almost invisibly and can be adjusted on either side in height and depth. CONTROLS For customising the seat height, weight setting, seat depth and seat tilt by means of buttons, a crank and a Bowden cable. **VSP® SYNCHRO MECHANISM** Virtual Swing Point ensures the perfect dynamic sequence as you sit.

VISITOR CHAIRS









FOUR-LEGGED MODEL

Optional also stackable

DETAILS









MESH BACK



3D MESH BACK



TEXTURED



FULLY-

UPHOLSTERED



neck muscles.

Can be attached to the backrest (optional).

1 | HEIGHT-ADJUSTABLE HEADREST

To reduce strain on shoulder and

3 | VERSATILE BACKREST

The comfortable backrest is available in fully upholstered, mesh fabric, 3D fabric and textured versions.





4 | ERGONOMIC SUPPORT

The lumbar support is integrated almost invisibly and can be adjusted on either side in height and curvature.

5 | VARIABLE ARMRESTS

Thanks to their different adjustments, they relieve the strain on shoulders and neck.







6 | A SOPHISTICATED ADDITION

The operating instructions

7 | CLEVER CONTROLS

For customising the seat height, weight setting, seat depth and seat tilt by means of buttons, a crank and a Bowden cable.





8 | SOLID FOUNDATION

Starbase in plastic or aluminium, alternatively aluminium starbase with flat spokes.

PRODUCT OVERVIEW



Frame

Cantilever model



Round tube, non-stackable



Mechanism	vsp®- synchro mechanism	
	vsp synchromechanism	
Opening angle	30°	
Synchro ratio	1:2.6	•
Individual weight adjustment	45 to 120 kg	•
Seat height adjustment	420 to 510 mm	•
Seat depth adjustment	50 mm, 5 positions	•
Forward tilt adjustment	4° forward tilt	
Backrest lock	4 positions	
Seat upholstery	Foam	•
Integral shock absorption	Yes	

ric fabric red pad on black 3D fabric	•
	-
red pad on black 3D fabric	
abric	•
le in height and depth, right and left-hand he adjusted independently	•
	djustable, optionally in leather, a fabric chair

Armrests		
Multifunctional armrest AL15	Black plastic with polished aluminium supports Adjustable in height, width and depth, pads swivel	
Multifunctional armrest AL 39	Black plastic Adjustable in height, width and depth, pads swivel and can be locked in place	
4D multifunctional armrest AL 43	Black plastic Adjustable in height, width and depth	

Seat upholstery

Dimensions		
Seat height	420 to 510 mm	
Seat width	500 mm	
Seat depth	420 to 470 mm	
Back width	490 mm	
Back height	570 mm	

Colours		
Starbases		
Plastic	Black	•
Aluminium	Black/aluminium/anthracite metallic	
	Polished aluminium / chrome	
Back support	Black/aluminium/anthracite metallic	
	Polished aluminium / chrome	
Backrest frame	Black	•
Multifunctional armrest AL 39	Leather pad	
Castors (carpet or hard floor)	Black, 50 or 60 mm in diameter	

roui -teggeu mouet	Roulla labe, Stackable (3x)	-
Backrest	Fixed	
	Mesh fabric	-
	3D mesh fabric	-
	Upholstered pad on	

Four-logged model Pound tubo stackable (Ev)

Seat		
Upholstered	Seat upholstery	•
A		

black 3D fabric in fabric and leather

Ribbed fabric

Armrests	Fixed	
	Black plastic wrap	

eat height	C 430 mm/4L 450 mm
Seat width	460 mm
Seat depth	480 mm
Back width	460 mm
Back height	440 mm
Total height	890 mm
Total width	595 mm
Weight from	9.5 kg

Colours		
Frame	Black/aluminium/ anthracite metallic	•
	Chrome	
Glides (carpet or hard floor)	Black	•
Armrests	In the same colour as frame, black armrest pad	

Black

■ Standard □ Optional

Backrest frame



Technology





















Aesthetically impressive, transparent room-in-room solution.





PUBLICA bar stool Sitting comfortably - even at a height.



ACTA.PLUS lockers Storage options for mobile



Side-access storage Exciting and well-organised inside.

As a leading brand for office furniture and room systems, König + Neurath develops solutions for individual work cultures



Endless options and ergonomics.



For important personal documents.

Germany

König + Neurath AG Büromöbel-Systeme Industriestraße 1–3 61184 Karben T +49 6039 483-0 info@koenig-neurath.de www.koenig-neurath.de

Great Britain

K + N International (Office Systems) Ltd 52 Britton Street London EC1M 5UQ T +44 20 48374909340 info@koenig-neurath.co.uk www.koenig-neurath.co.uk

Nederland

König + Neurath Nederland Office Furniture Beethovenstraat 530 1082 PR Amsterdam T +31 20 4109410 info@konig-neurath.nl www.konig-neurath.nl

France

König + Neurath AG Showroom Paris 66, rue de la Victoire 75009 Paris T +33 1 44632393 info@koenig-neurath.fr www.koenig-neurath.fr

Schweiz

König + Neurath (Schweiz) GmbH Büromöbel-Systeme St. Gallerstrasse 106 d CH–9032 Engelburg / St. Gallen T +41 52 7702242 info@koenig-neurath.de www.koenig-neurath.de

