

Product Information

HOLIDAY 2



Holiday 2 | Model 3500 - 3525

Changeable, stackable and flexibly usable. Optically fresh and optionally functional with additional equipment.

Areas of use

CONCERT + THEATRES | MULTIPURPOSE HALL | HEALTHCARE SERVICES | SEMINAR | MEETING | RESTAURANT + BANQUET | CAFETERIA | MULTIFUNCTIONAL USE | FOYER + LOBBY | CHURCH |

Frame

V-shaped feet and backrest brackets (seat) made from die-cast aluminium. Seat crossbeam made from 5 mm thick galvanized sheet steel.

Frame surfaces

Frame: standard version made from brushed aluminium, optionally powder-coated in different colours according to the BRUNE® collection.

Armrests Model 3490 - 3493

Armrest bracket made from brushed aluminium or powder-coated according to the BRUNE® collection. Optionally, armrest cover made from black PPN plastic or massive beechwood, either with a natural varnish, stained according to the BRUNE® collection or upholstered.

Seat and back

Options: (a) seat and backrest made from ergonomically shaped perforated sheet metal, strength: approx. 2 mm, diameter of the perforation holes: 2 mm, diagonally offset and spaced in distances of 3 mm. Exterior edges with reinforced steel casings, rolled to the outside and spot-welded; (b) seat and armrest made from ergonomically shaped beech plywood, strength: 10 mm, glued in several places, with or without partial upholstery; or (c) seat and backrest made from plywood and fully upholstered. The side parts of the seat top are made from die-cast aluminium and have been screw-fastened to the crossbeam.

Wooden surfaces

Wooden elements made from beech wood, with natural varnish (low-solvent water varnish) in the standard version. Optionally stained according to the BRUNE® collection.

Upholstery and cushions

Seats or seats and back supports are optionally available with partial upholstery or fully upholstered seat, fabric cover according to the BRUNE® collection, fabric categories 3, 4, 6, 7 or 8.


Seat cushion foam: SG/CH 35/50 approx. 20 mm thick

Back cushion foam: SG/CH 35/50 approx. 10 mm thick

SG = specific gravity, weight per m³. CH = compression hardness (e.g.: 50 \triangleq approx. 50 g/cm² at a compression level of 40 %)


Dimensions | 3500 without armrests

Dimensions:	B	55 cm
	T	60 cm
	H	80 cm
	SH	45 cm
Weights - plywood:		6,5 kg not upholstered
		7,0 kg upholstered
Weights - perforated steel:		9,0 kg not upholstered
		9,5 kg with seat padding
		10,0 kg with seat and back padding
Dimension between the centre lines of the chair / chair:		56 cm



Dimensions | 3500 with armrests

Dimensions:	B	63 cm
	T	60 cm
	AH	65 cm
	H	80 cm
	SH	45 cm
Weights - plywood:		8,5 kg not upholstered
		9,0 kg upholstered
Weights - perforated steel:		11,0 kg not upholstered
		11,5 kg with seat padding
		12,0 kg with seat and back padding
Dimension between the centre lines of the armchair / chair:		58 cm



Stackability

Stacking type:	Vertical stacking, 14 stackable chairs	
Required floor space:	Length:	60 cm
	Width:	55 cm without armrests 63 cm with armrests
	Height:	190 cm



Row linking

System: Plastic hooks (model 3522)
Suitable for: chair-chair | chair-armchair

Accessories

Stuhlrolley: BRUNE® Modell 1996 for the transport of stacked chairs
Fold-out writing desk: BRUNE® models 3520 + 3521
Row numbering: Black plastic, plug-on, optionally with magnetic seat numbering or seat and row number

Certificates

ISO 9001:2015



Quality management in
accordance with
DIN EN ISO 9001

ISO 14001:2015



Environmental management
system in accordance with
DIN EN ISO 14001